

Custom Composites

1018 E. Madison St.
 Oklahoma City, OK 73111
 405-424-2550
 Fax 405-424-2556
sales@customcompositesok.com
www.customcompositesok.com

**A 2% PRICE BREAK WILL BE
 GIVEN ON ORDERS OF 3 OR MORE
 IDENTICAL TANKS!!!**

CUSTOM BUILT RECTANGULAR TANK PRICE LIST

Each custom built polypropylene tank features a CAD drawing for your approval, 3" suction, 1.5" fill, sight glass, 8"x8" fill tower, 3" overflow, booster reel mounts, tank bolt down tabs, tank lifting lugs, 3/8" baffles, a sump, 1/2" floor, and 1/2" walls.

*500 gallon – 950 gallon tanks receive an upgraded 3/4" floor

*1000 gallon or larger tanks receive upgraded 3/4" floor, front and rear walls, and 1/2" baffles

Each custom built fiberglass tank features a CAD drawing for your approval, has a white gelcoat finish, a 2.5" suction, 1.5" fill, 2" drain (all fittings are threaded fiberglass couplings), sight strip, fill tower, removeable bolt on lid, and is fully baffled.

<u>CAPACITY</u>	<u>PRICE</u>
30	\$654
50	\$903
75	\$999
100	\$1,107
150	\$1,627
200	\$1,884
250	\$2,056
300	\$2,301
350	\$2,692
400	\$3,086
500	\$3,755
600	\$4,480
700	\$4,956
750	\$5,198
800	\$5,369
900	\$5,718
1000	\$6,063
1100	\$6,595
1200	\$7,008
1300	\$7,339
1400	\$7,672
1500	\$8,004
1800	\$9,693
2000	\$10,800

TANK ADDITIONAL OPTIONS

5-12 Gallon Internal Foam Cell	\$425
13-20 Gallon Internal Foam Cell	\$510
21-30 Gallon Internal Foam Cell	\$610
Additional Fill Tower	\$65
Additional Sump	\$90
Additional Sight Glass	\$120
Additional Fitting (up to 2.5")	\$40
Additional Fitting (3")	\$70
Additional Fitting (4")	\$175

ADDITIONAL OPTIONS FOR POLYPROPYLENE TANKS ONLY

Pump Platform Sheet for Skid Size Units	\$195
Hose Tray Welded to Tank for Skid Size Units	\$195
10" Newton Dump Valve Cutout	\$40
Additional Booster Reel Mounts (Pair)	\$120

Polypropylene T-Tanks are an additional \$0.50 per gallon, added to the standard tank price. Available in 500 gallon tanks and above.

Fiberglass T-Tanks are an additional \$1.00 per gallon, added to the standard tank price. Available in 500 gallon tanks and above.